# **R**FA **Revista de Finanças Aplicadas**

ISSN 2176-8854 WWW.FINANCASAPLICADAS.NET

# MINIMUM VARIANCE FUZZY POSSIBILISTIC PORTFOLIO

Leandro dos Santos Maciel, UNICAMP Doutorando em Engenharia Elétrica pela UNICAMP maciel@dca.fee.unicamp.br

Fernando Antonio Campos Gomide, UNICAMP Professor da Faculdade de Engenharia e de Computação da UNICAMP Doutor em Engenharia de Sistemas pela Case Western Reserve University

gomide@dca.fee.unicamp.br

Rosangela Ballini, UNICAMP Professora do Instituto de Economia da UNICAMP Doutora em Engenharia Elétrica pela UNICAMP ballini@eco.unicamp.br

### CARTEIRA NEBULOSA POSSIBILÍSTICA DE VARIÂNCIA MÍNIMA

#### OBJETIVOS

O objetivo deste trabalho é avaliar o desempenho de uma carteira nebulosa (fuzzy) possibilística de variância mínima no mercado de ações brasileiro em comparação com tradicionais modelos de seleção de carteiras construídos a partir de dados numéricos, com o intuito de realçar sua capacidade em tratar informações nebulosas e com incertezas.

#### **METODOLOGIA**

A metodologia consiste na composição de uma carteira nebulosa possibilística de variância mínima assumindo que a taxa esperada de retorno da mesma é um número nebuloso, representado por uma função de pertinência Gaussiana. Então, o desempenho da carteira é comparado com uma carteira de variância mínima a partir de dados numéricos, o índice IBOVESPA, uma carteira igualmente ponderada, e a carteira que maximiza o índice de Sharp, em termos de métricas de retorno e de volatilidade.

#### **RESULTADOS E CONCLUSÕES**

Os resultados mostraram que a carteira nebulosa possibilística de variância mínima apresentou os maiores retornos com um menor nível de risco em comparação às abordagens alternativas. Além disso, seu coeficiente beta, como medida de risco sistemático, é menor que a unidade, o que indica que tal carteira possui menor risco que a carteira de mercado, isto é, o IBOVESPA. Finalmente, esses resultados foram atingidos com um baixo número de ativos nas carteiras, em contraposição às abordagens concorrentes.

#### IMPLICAÇÕES PRÁTICAS

Os bons resultados encontrados neste trabalho encorajam pesquisadores, assim como os praticantes de mercado em geral, uma vez que o modelo apresentou bom desempenho com um pequeno número de ativos na carteira, sendo facilmente replicável, e com um baixo nível de risco.

#### PALAVRAS-CHAVE

Seleção de Carteiras, Teoria Nebulosa Possibilística, Carteira de Variância Mínima.

#### MINIMUM VARIANCE FUZZY POSSIBILISTIC PORTFOLIO

#### OBJECTIVE

The aim of this work is to evaluate the performance of a minimum variance fuzzy possibilistic portfolio selected in the Brazilian equity market, against traditional portfolio selection models from crisp data in order to show its capability to deal with uncertain and fuzziness information.

#### METHODOLOGY

The methodology consists of composing a minimum variance possibility portfolio assuming that the expected rate of returns is a fuzzy number, represented by a Gaussian membership function. Then, its performance is compared against a minimum variance portfolio constructed with real (crisp) numbers, the IBOVESPA equity index, an equallyweighted portfolio, and the maximum Sharpe ratio portfolio in terms of return and volatility metrics.

#### **RESULTS AND CONCLUSIONS**

The results show that the minimum variance fuzzy possibilistic portfolio has higher returns with a lower level of risk compared to all alternative approaches. Moreover, its beta coefficient, as a measure of systemic risk, is lower than one, which indicates that the fuzzy possibilistic portfolio has lower risk than the market portfolio, i.e., the IBOVESPA index. Finally, these results were reached with a lower number of assets, compared to the competitive approaches.

#### PRACTICAL IMPLICATIONS

The good results founded in this work encourage researches, and also all market participants in general, since the model performs well with a few number of assets, being easy replicable and providing a lower level of risk.

#### **KEYWORDS**

Portfolio Selection, Fuzzy Possibilistic Theory, Minimum Variance Portfolio.

## INTRODUCTION

The aim of this work is to evaluate the performance of a minimum variance fuzzy possibilistic portfolio selected in the Brazilian equity market, against traditional portfolio se-lection models from crisp data in order to show its capability to deal with uncertain and fuzziness information.

The mean-variance methodology for portfolio selection problem was established by Markowitz (MARKOWITZ, 1952), which has been dominating the literature of modern finance since its appearance. It is assumed that all the investors treat the risk and asset returns as random variables. The expected risk and returns of a portfolio are referred to as the risk and investment return of the allocation, respectively. Thus, the model combines probability and optimization theories to model the behavior of economic agents under uncertainty. Over the last decades, mean-variance theory has played an important role in the development of modern portfolio selection theory, since requires a few number of parameters and the decision maker is able to produce relatively good results in their strategies (SHARPE, 1970; MERTON, 1972; ELLIOT ET AL., 2010).

Traditional approaches of Markowitz's portfolio theory are of the crisp-stochastic category, which means that data and parameters are determined as crisp (real) numbers or unique distribution functions. Therefore, it is supposed that a decision maker is able to determine exactly the decision parameters and the unique input data, i.e., the distributions functions are known. However, in financial markets, the information is incomplete and complex, resulting to the impossibility to predict the future return and the actual risk of a portfolio precisely. In many situations, the input data are not precise but only fuzzy. Fuzzy theory is a powerful tool also used to describe the uncertain of financial environments where not only the financial markets but also the investment decision makers are subject to vagueness, ambiguity or fuzziness. Decision-making in a fuzzy environment was defined by Bellman and Zadeh (1970) with a decision set which unifies a fuzzy objective and fuzzy constraint.

Since non-probabilistic factors affect the financial markets such that the return of risky asset is fuzzy uncertainty, a number of studies have been investigated for fuzzy portfolio selection problem (WATADA, 1997; LEON ET AL., 2002). Fuzzy sets theory was used by Bilbao et al. (2006) to the problem of portfolio selection using Sharpe's single-index as a model. Huang (2007) suggested an optimal portfolio selection model based on a new definition of risk for random fuzzy portfolio. Multi-criteria decision making via fuzzy mathematical programming was applied by Gupta et al. (2008) to develop comprehensive models of asset portfolio optimization for the investors' with different levels of strategies, from conservative to more aggressive positions. In Chen and Huang (2009) was constructed a portfolio selection model that uses triangular fuzzy numbers to represent future return rates and future risks of equity mutual funds. In general, these studies stated that when the returns are treated as fuzzy, the allocations provide better results in terms of risk and return than approaches that consider real (crisp) numbers, mainly in periods of high market changes.

As an extension of fuzzy sets theory, L. Zadeh (ZADEH, 1978) introduced possibilistic theory for dealing with incomplete information. In Zadeh's view, possibilistic distributions were meant to provide a graded semantics to natural language statements. Some studies have investigated possibilistic theory within the realm of fuzzy sets theory (DUBOIS & PRADE, 1987; CARLSSON & FULLÉR, 2001). In Zhang and Nie (2003) was proposed the notions of upper and lower possibilistic mean and possibilistic variances and covariances of fuzzy numbers as an extension of Carlsson and Fullér (2001). Due to this, several works have suggested the construction of efficient portfolios using possibilistic theory. Based on upper and lower possibilistic means and possibilistic variances, Zhang et al. (2007) proposed the notions of upper and lower possibilistic efficient portfolios. A possibilistic approach to select portfolios was suggested by Carlsson et al. (2002) with highest utility score under assumptions that the returns of assets are trapezoidal fuzzy numbers and short sales are not allowed on all risky assets. In Zhang et al. (2009) was dealt with the same problem but proposed a sequential minimal optimization algorithm to obtain the optimal portfolio.

Possibilistic portfolio adjusting problem with new added assets was studied by Zhang et al. (2010), in order to fit changes in financial markets. They used a possibilistic portfolio adjusting model with transaction costs and bounded constraints on holding assets to show the case that investors do not need to invest total capital and to hold all assets in the portfolio for some required return levels. Also considering transaction costs, Jana et al. (2009) constructed a possibilistic model for portfolio selection. They quantify any potential return and risk by taking portfolio's liquidity into the objective function, which results in a multi-objective non-linear programming model for portfolio rebalancing. More recently, Li et al. (2013) proposed a possibilistic portfolio model with Value-at-Risk constraint and risk-free based on the possibilistic mean and variance framework.

In this paper, we investigate the minimum variance possibility portfolio assuming that the expected rate of returns is a fuzzy number, represented by a Gaussian membership function. Some studies have suggested that the minimum variance portfolio, using real (crisp) data, provides higher adjusted returns to risk than other portfolios based on the classic mean-variance Markowitz's paradigm

(JAGANNATHAN & MA, 2003; JORION, 1991; CLARK ET AL., 2006). The advantage of investing in the minimum variance portfolio is that it has a lower level of risk than all the alternatives in the efficient frontier, and it is the only portfolio that investors do not have to provide a required level of return to find a position, which reduces the computational efforts in the respective optimization problem, mainly when large-scale portfolios are considered. As an application, the Brazilian equity market is considered in the numerical experiments. The minimum variance fuzzy possibilistic portfolio is compared to those of the following benchmarks: minimum variance portfolio constructed with real (crisp) numbers, the IBOVESPA equity index, an equally-weighted portfolio, and the maximum Sharpe ratio portfolio. Differently from the literature, in this work the possibilistic model is applied in a decision making portfolio selection process using actual data and compared with widely used benchmarks. Moreover, considering an emergent economy like Brazil, subject to market inefficiencies, this strategy can be easy replicable by individual and institutional investors alike, in order to show evidences to improve the liquidity in the equity market.

After this introduction, the remainder of the work proceeds as follows. Section 2 shows the basic concepts of the possibilistic mean and variance of a fuzzy number. The possibilistic portfolio model is presented in Section 3. Results and discussion are reported in Section 4. Finally, Section 5 concludes and suggests issues for further investigation.

## POSSSIBILISTIC MEAN AND VARIANCE

This section introduces some definitions for the construction of the fuzzy possibilistic portfolio selection model. For more details about possibilistic portfolio selection modeling see Li et al. (2013) and Zhang et al. (2007). A fuzzy number X is a fuzzy set of the real line  $\Re$  with a normal, fuzzy convex and continuous membership function of bounded support. Given a  $\gamma$ -level set of a fuzzy number X,  $\gamma > 0$ , according to Carlsson and Fullér (2001), the upper and lower possibilistic mean, with  $[X]^{\gamma} = [x_1(\gamma), x_2(\gamma)]$ , can be written, respectively, as:

$$M_{U}(X) = \frac{\int_{0}^{1} \operatorname{pos}[X \ge x_{2}(\gamma)] x_{2}(\gamma) d\gamma}{\int_{0}^{1} \operatorname{pos}[X \ge x_{2}(\gamma)] d\gamma},$$
(1)

$$M_{L}(X) = \frac{\int_{0}^{1} \operatorname{pos}[X \le x_{1}(\gamma)]x_{1}(\gamma)d\gamma}{\int_{0}^{1} \operatorname{pos}[X \le x_{1}(\gamma)]d\gamma},$$
(2)

where  $pos[\cdot]$  denotes possibility measure:

$$pos[X \ge x_2(\gamma)] = \sup_{t \ge x_2(\gamma)} X(t) = \gamma,$$
(3)

$$pos[X \le x_1(\gamma)] = \sup_{t \le x_1(\gamma)} X(t) = \gamma.$$
(4)

According to (3) and (4),  $M_U(X)$  and  $M_L(X)$  become:

$$M_{\rm U}({\rm X}) = 2 \int_0^1 \gamma {\rm x}_2(\gamma) d\gamma, \qquad (5)$$

$$M_{L}(X) = 2 \int_{0}^{1} \gamma x_{1}(\gamma) d\gamma, \qquad (6)$$

The possibilistic mean value of X can be written as the arithmetic mean of its lower and upper possibilistic mean values:

$$\overline{\mathbf{X}} = \frac{\mathbf{M}_{\mathrm{U}}(\mathbf{X}) + \mathbf{M}_{\mathrm{L}}(\mathbf{X})}{2}.$$
(7)

The upper and lower possibilistic variances and covariances of fuzzy numbers were introduced by Zhang and Nie (2003). The upper and lower possibilistic variances of a fuzzy number X with  $\gamma$ -level set  $[X]^{\gamma} = [x_1(\gamma), x_2(\gamma)], \gamma > 0$ , are denoted, respectively, by:

$$\sigma_{\rm U}^2 = 2 \int_0^1 \gamma \left( M_{\rm U}(X) - x_2(\gamma) \right)^2 d\gamma, \tag{8}$$

$$\sigma_{\rm L}^2 = 2 \int_0^1 \gamma (M_{\rm L}(X) - x_1(\gamma))^2 d\gamma.$$
(9)

Similarly, the possibilistic variance of a fuzzy number X can be written as:

$$\overline{\sigma}^2(\mathbf{X}) = \frac{\sigma_{\mathrm{U}}^2 + \sigma_{\mathrm{L}}^2}{2}.$$
(10)

Alternatively, the upper and lower possibilistic covariances between fuzzy numbers X and Y, with  $\gamma$ -level set  $[X]^{\gamma} = [x_1(\gamma), x_2(\gamma)]$  and  $[Y]^{\gamma} = [y_1(\gamma), y_2(\gamma)], \gamma \in [0, 1]$ , are represented as follows:

$$Cov_{U}(X,Y) = \frac{1}{2} \int_{0}^{1} \gamma (M_{U}(X) - x_{2}(\gamma)) (M_{U}(Y) - y_{2}(\gamma)) d\gamma, \qquad (11)$$

$$Cov_{L}(X,Y) = \frac{1}{2} \int_{0}^{1} \gamma (M_{L}(X) - x_{1}(\gamma)) (M_{L}(Y) - y_{1}(\gamma)) d\gamma.$$
(12)

The possibilistic covariance between fuzzy numbers X and Y is:

$$\overline{\text{Cov}}(X,Y) = \frac{\text{COV}_{U}(X,Y) + \text{COV}_{L}(X,Y)}{2}.$$
(13)

Defined the possibilistic mean, variance and covariance, the next section presents the construction of the fuzzy possibilistic portfolio selection model, according to the mean-variance Markowitz's principle.

## Possibilistic portfolio selection model

Let us considerer a universe A composed by n risky assets, and one risk-free available for investment, denoted by  $r_f$ . Let  $\epsilon_i$  represents the return rate of asset i, i = 1, 2, ..., n, which is a fuzzy number, and  $w_i$  be the proportion invested in asset i. The portfolio return,  $r_p$ , a fuzzy number, is computed by:

$$r_{p} = \sum_{i=1}^{n} w_{i} \epsilon_{i} + r_{f} \left( 1 - \sum_{i=1}^{n} w_{i} \right).$$
(14)

The possibilistic mean of the portfolio return  $r_p$  is given by:

$$\overline{M}(r_p) = \sum_{i=1}^{n} w_i \frac{M_U(\epsilon_i) + M_L(\epsilon_i)}{2} + r_f \left(1 - \sum_{i=1}^{n} w_i\right), \quad (15)$$

where  $M_U(\epsilon_i)$  and  $M_L(\epsilon_i)$  are the upper and lower possibilistic means of asset i return, respectively.

To compute the possibilistic variance of  $r_p$ , let us consider the following Lemma:

**Lemma 1.** Let  $\lambda_1, \lambda_2 \in \Re$  and let X and Y be fuzzy numbers, then

$$\overline{\sigma}^{2}(\lambda_{1}X + \lambda_{2}Y) =$$
$$\lambda_{1}^{2}\overline{\sigma}^{2}(X) + \lambda_{2}^{2}\overline{\sigma}^{2}(Y) + 2|\lambda_{1}\lambda_{2}|\overline{Cov}(\phi(\lambda_{1})X,\phi(\lambda_{2})Y), \quad (16)$$

where  $\phi(x)$  is a sign function of  $x \in \Re$ .

According to Lemma 1, the possibilistic variance of the portfolio return  $r_p$  can be written as:

$$\overline{\sigma}^{2} = \sum_{i=1}^{n} w_{i}^{2} \overline{\sigma}_{\epsilon_{i}}^{2} + 2 \sum_{i>j=1}^{n} |w_{i}w_{j}| \overline{\text{Cov}}(\epsilon_{i}, \epsilon_{j})$$
$$= \sum_{i=1}^{n} w_{i}^{2} \overline{\sigma}_{\epsilon_{i}}^{2} + 2 \sum_{i>j=1}^{n} w_{i}w_{j} \overline{\text{Cov}}(\epsilon_{i}, \epsilon_{j}). \quad (17)$$

The possibilistic mean describes the portfolio return and the possibilistic variance represents the portfolio risk. Therefore, the possibilistic portfolio selection model can be formulated as follows:

$$\begin{split} \min_{\mathbf{w}} \overline{\sigma}^2 &= \sum_{i=1}^n w_i^2 \overline{\sigma}_{\epsilon_i}^2 + 2 \sum_{i>j=1}^n w_i w_j \overline{\text{Cov}}(\epsilon_i, \epsilon_j) \\ \text{s.t.} \sum_{i=1}^n w_i \frac{M_U(\epsilon_i) + M_L(\epsilon_i)}{2} + r_f \left(1 - \sum_{i=1}^n w_i\right) \geq \overline{r}, \\ \sum_{i=1}^n w_i &= 1, \qquad 0 \leq l_i \leq w_i \leq u_i \leq 1, i = 1, 2, \dots, n, \end{split}$$
(18)

where  $\bar{r}$  is the underestimated expected return rate,  $l_i$  and  $u_i$  denote the lower bond and the upper bond on investment in asset i, respectively.

The set of all the possibilistic efficient portfolios comprises the possibilistic efficient frontier, which can be traced out by solving the portfolio problem for all possible values of  $\bar{r}$ . In this work, our focus is on the minimum variance portfolio, i.e., with the minimum level of risk, independent of the expected return rate  $\bar{r}$ . Moreover, without loss of generality, we do not impose as a constraint, defined bonds to the proportion of capital invested on each asset, w<sub>i</sub>. Thus, the minimum variance possibilistic portfolio is given by solving the following problem:

$$\begin{split} \min_{w} \overline{\sigma}^{2} &= \sum_{i=1}^{n} w_{i}^{2} \overline{\sigma}_{\epsilon_{i}}^{2} + 2 \sum_{i>j=1}^{n} w_{i} w_{j} \overline{\text{Cov}}(\epsilon_{i}, \epsilon_{j}) \\ \text{s. t.} \sum_{i=1}^{n} w_{i} &= 1, \qquad 0 \leq w_{i} \leq 1, i = 1, 2, \dots, n, \end{split}$$
(19)

The next step is to define the fuzzy variables, i.e., the portfolio rate of return. Suppose that the return rate of asset i is a Gaussian fuzzy variable, i.e.,  $\epsilon_i \sim G(\mu_i, \sigma_i)$ , and its membership function and level set are, respectively:

$$X_{\epsilon_i}(t) = \exp\left(\frac{t - \mu_i}{\sigma_i}\right)^2,$$
(20)

$$[\epsilon_i]^{\gamma} = \left[\mu_i - \sigma_i \sqrt{\ln \gamma^{-1}}, \mu_i + \sigma_i \sqrt{\ln \gamma^{-1}}\right], \tag{21}$$

with  $\gamma \in [0, 1]$ , i = 1, 2, ..., n.

In order to construct the portfolio fuzzy distribution, let us consider the following Lemma:

**Lemma 2.** Let  $\lambda_1, \lambda_2 \in \Re$  and let X and Y be fuzzy numbers, then

$$\overline{M}(\lambda_1 X + \lambda_2 Y) = \lambda_1 \overline{M}(X) + \lambda_2 \overline{M}(Y).$$
(22)

According to Lemma 2, the possibilistic mean value of  $\sum_{i=1}^{n} w_i \epsilon_i$  is calculated as:

$$\overline{M}\left(\sum_{i=1}^{n} w_i \epsilon_i\right) = \sum_{i=1}^{n} w_i \overline{M}(\epsilon_i) = \sum_{i=1}^{n} w_i \mu_i.$$
(23)

From Eqs. (5) and (6), the upper and lower possibilistic means of  $\epsilon_i$  can be calculated, respectively, by:

Maciel, Leandro; Gomide, Fernando; Ballini, Rosangela. Minimum Variance Fuzzy Possibilistic Portfolio. Revista de Finanças Aplicadas. V. 4, 2014. pp.1-27.

$$M_{U}(\epsilon_{i}) = 2 \int_{0}^{1} \gamma \left(\mu_{i} + \sigma_{i} \sqrt{\ln \gamma^{-1}}\right) d\gamma$$
$$= \mu_{i} + 2 \sigma_{i} \int_{0}^{1} \gamma \sqrt{\ln \gamma^{-1}} d\gamma = \mu_{i} + \sigma_{i} \frac{\sqrt{\pi}}{2\sqrt{2}}$$
(24)

$$M_{L}(\epsilon_{i}) = 2 \int_{0}^{1} \gamma \left( \mu_{i} - \sigma_{i} \sqrt{\ln \gamma^{-1}} \right) d\gamma = \mu_{i} - \sigma_{i} \frac{\sqrt{\pi}}{2\sqrt{2}}$$
(25)

In this way, we can obtain the upper and lower possibilistic portfolio variances:

$$\sigma_{U}^{2} = 2 \int_{0}^{1} \gamma \left( M_{U}(\epsilon_{i}) - x_{2}(\gamma) \right)^{2} d\gamma$$
$$= 2 \int_{0}^{1} \gamma \left( \mu_{i} + 2 \sigma_{i} \frac{\sqrt{\pi}}{2\sqrt{2}} - \mu_{i} - \sigma_{i} \frac{\sqrt{\pi}}{2\sqrt{2}} \right)^{2} d\gamma$$
$$= \left( \frac{1}{2} - \frac{\pi}{8} \right) \sigma_{i}^{2}, \qquad (26)$$

$$\sigma_{\rm L}^2 = 2 \int_0^1 \gamma \left( M_{\rm L}(\epsilon_{\rm i}) - x_1(\gamma) \right)^2 d\gamma = \left( \frac{1}{2} - \frac{\pi}{8} \right) \sigma_{\rm i}^2.$$
(27)

The fuzzy possibilistic portfolio variance can be written as:

$$\overline{\sigma}_{\epsilon_i}^2(X) = \frac{\sigma_U^2 + \sigma_L^2}{2} = \left(\frac{1}{2} - \frac{\pi}{8}\right)\sigma_i^2.$$
(28)

Considering Eqs. (11) and (12), the upper and lower possibilistic covariances can be calculated by:

$$Cov_{U}(\epsilon_{i},\epsilon_{j}) = \frac{1}{2} \int_{0}^{1} \gamma (M_{U}(\epsilon_{i}) - x_{2}(\gamma)) (M_{U}(\epsilon_{j}) - y_{2}(\gamma)) d\gamma$$
$$= \left(\frac{1}{2} - \frac{\pi}{8}\right) \sigma_{i} \sigma_{j}, \qquad (29)$$
$$Cov_{L}(\epsilon_{i},\epsilon_{j}) = \frac{1}{2} \int_{0}^{1} \gamma (M_{L}(\epsilon_{i}) - x_{1}(\gamma)) (M_{U}(\epsilon_{j}) - y_{1}(\gamma)) d\gamma$$

$$= \left(\frac{1}{2} - \frac{\pi}{8}\right) \sigma_i \sigma_j, \tag{30}$$

The possibilistic covariance is given by:

$$\overline{\text{Cov}}(\epsilon_{i},\epsilon_{j}) = \frac{\text{Cov}_{U}(\epsilon_{i},\epsilon_{j}) + \text{Cov}_{L}(\epsilon_{i},\epsilon_{j})}{2} = \left(\frac{1}{2} - \frac{\pi}{8}\right)\sigma_{i}\sigma_{j}.$$
 (31)

Taking into account Lemma 1 and considering  $w_i \ge 0$ , the possibilistic variance of the portfolio return,  $\sum_{i=1}^{n} w_i \epsilon_i$ , is:

$$\overline{\sigma}_{\sum_{i=1}^{n} w_{i} \epsilon_{i}}^{2} = \sum_{i=1}^{n} w_{i}^{2} \overline{\sigma}_{\epsilon_{i}}^{2} + 2 \sum_{i>j=1}^{n} w_{i} w_{j} \overline{\text{Cov}}(\epsilon_{i}, \epsilon_{j})$$

$$= \sum_{i=1}^{n} \left(\frac{1}{2} - \frac{\pi}{8}\right) w_{i}^{2} \sigma_{i}^{2} + 2 \sum_{i>j=1}^{n} \left(\frac{1}{2} - \frac{\pi}{8}\right) w_{i} w_{j} \sigma_{i} \sigma_{j}$$

$$= \left(\frac{1}{2} - \frac{\pi}{8}\right) \left(\sum_{i=1}^{n} w_{i} \sigma_{i}\right)^{2}.$$
 (32)

Then, the possibilistic fuzzy portfolio return  $\sum_{i=1}^{n} w_i \varepsilon_i$  is Gaussian distributed with the following parameters:

$$\sum_{i=1}^{n} w_i \epsilon_i \sim G\left(\sum_{i=1}^{n} w_i \mu_i, \left(\frac{1}{2} - \frac{\pi}{8}\right) \left(\sum_{i=1}^{n} w_i \sigma_i\right)^2\right), \quad (33)$$

and membership function:

$$X_{r_{p}}(t) = \exp\left\{\frac{-(t - \sum_{i=1}^{n} w_{i}\mu_{i})^{2}}{\left(\frac{1}{2} - \frac{\pi}{8}\right)(\sum_{i=1}^{n} w_{i}\sigma_{i})^{2}}\right\}.$$
(34)

From Eqs. (14), (24) and (25), the upper and lower possibilistic means of the portfolio return,  $r_p$ , are:

$$M_{U}(r_{p}) = \sum_{i=1}^{n} \left( \mu_{i} + \sigma_{i} \frac{\sqrt{\pi}}{2\sqrt{2}} - r_{f} \right) w_{i} + r_{f}, \qquad (35)$$

$$M_{L}(r_{p}) = \sum_{i=1}^{n} \left( \mu_{i} - \sigma_{i} \frac{\sqrt{\pi}}{2\sqrt{2}} - r_{f} \right) w_{i} + r_{f}.$$
 (36)

The possibilistic mean of  $r_p$  is given by:

$$\overline{M} = \frac{M_{U}(r_{p}) + M_{L}(r_{p})}{2} = \sum_{i=1}^{n} w_{i}(\mu_{i} - r_{f}) + r_{f}.$$
(37)

Then, in the case of the asset returns are fuzzy Gaussian distributed, the possibilistic portfolio selection model in (18) can be reformulated as:

Similarly, the minimum variance fuzzy possibilistic portfolio, as in (19), with no restriction to the investment proportions  $w_i$ , is given by:

$$\begin{split} \min_{\mathbf{w}} \overline{\sigma}^{2} &= \left(\frac{1}{2} - \frac{\pi}{8}\right) \left(\sum_{i=1}^{n} w_{i}^{2} \sigma_{i}^{2} + 2\sum_{i>j=1}^{n} w_{i} w_{j} \sigma_{i} \sigma_{j}\right) \\ \text{s. t.} \sum_{i=1}^{n} w_{i} &= 1, 0 \le w_{i} \le 1, i = 1, 2, \dots, n, \end{split}$$
(39)

Maciel, Leandro; Gomide, Fernando; Ballini, Rosangela. Minimum Variance Fuzzy Possibilistic Portfolio. Revista de Finanças Aplicadas. V. 4, 2014. pp.1-27.

## COMPUTATIONAL EXPERIMENTS

This paper evaluates the performance of minimum variance fuzzy possibilistic portfolio in the Brazilian equity market in the case that assets return is a Gaussian fuzzy variable. Its results are compared to those of the following benchmarks: minimum variance portfolio estimated by real (crisp) numbers, the IBOVESPA equity index, an equally-weighted portfolio, and the maximum Sharpe ratio portfolio. The IBOVESPA is the most used index for the Brazilian equity market, which includes the most traded assets in the Brazilian market. Besides there are no reasons of IBOVESPA be an efficient portfolio, it is frequently used as market portfolio in finance studies, and translates the Brazilian equity market performance. As follows we describe the data, the benchmark models, the results and its discussion.

## DATA

The data comprises daily closing prices of all assets traded in the Brazilian equity market from January 2000 to December 2012. Assets from the same corporations were also considered, e.g., preferred and ordinary shares. We consider only the assets with a positive negotiation during the period considered, which reduces the database in a number of 314 distinct assets. Moreover, daily series from IBOVESPA index were also collected. The risk free investment was represented by the CDI rate. CDI, or Interbank Deposit Certificate, is the indicator computed by the average of the interbank operations rates, widely used as risk free interest rate in the Brazilian financial markets. It is provided in annual basis. Thus, the CDI daily returns, CDI<sub>daily</sub>, were calculated according to:

$$CDI_{daily} = (1 + CDI_{annual})^{\frac{1}{252}} - 1,$$
 (40)

where CDI<sub>annual</sub> is the CDI value, in annual basis.

#### BENCHMARKS

One of the benchmarks considered in this paper is the minimum variance portfolio using real (crisp) numbers. Let be n a universe of available assets and a portfolio represented by weights  $w = [w_1, w_2, ..., w_1]^T$ , the minimum variance portfolio using crisp data, denoted by MVPC, is obtained by the solution of the following problem:

$$\min_{\mathbf{w}} \mathbf{w}^{\mathrm{T}} \boldsymbol{\Sigma} \mathbf{w} \qquad \text{s. t.} \sum_{i=1}^{n} \mathbf{w}_{i} = 1, 0 \leq \mathbf{w}_{i} \leq 1 \; \forall \; i, \tag{41}$$

where  $\Sigma$  is the assets covariance matrix, estimated by the sample covariance matrix. Jagannathan and Ma (2003) stated that the use of the sample covariance matrix provides results as good as from more sophisticated and robust estimators.

The sample covariance matrix supposes the hypothesis that the returns are i.i.d., and is computed using a sample from returns time series. The covariance between assets i and j is estimated by:

$$\widehat{\sigma}_{ij} = \frac{1}{T} \sum_{i=1}^{n} (r_{i,t} - \bar{r}_i) (r_{j,t} - \bar{r}_j), \qquad (42)$$

where  $r_{i,t}$  is the return from asset i at t,  $\bar{r}$  is the sample average of assets returns, and T is the sample size.

Alternatively, this paper also used as benchmark the minimum variance portfolio that maximizes the Sharpe ratio,

Maciel, Leandro; Gomide, Fernando; Ballini, Rosangela. Minimum Variance Fuzzy Possibilistic Portfolio. Revista de Finanças Aplicadas. V. 4, 2014. pp.1-27. MVPS. The Sharpe ratio of a portfolio p is defined by  $SR = \frac{(\bar{r}_p - r_f)}{\sigma_p}$ , where  $\bar{r}_p$  is the portfolio average return,  $r_f$  is the risk free interest rate and  $\sigma_p$  is the portfolio volatility. The MVPS is the solution of the following optimization problem:

$$\min_{\mathbf{w}} \frac{\mathbf{w}^{\mathrm{T}} \bar{\mathbf{r}}_{p}}{\sqrt{\mathbf{w}^{\mathrm{T}} \Sigma \mathbf{w}}} \quad \text{s.t.} \sum_{i=1}^{n} \mathbf{w}_{i} = 1, 0 \le \mathbf{w}_{i} \le 1 \; \forall \; i, \tag{43}$$

where  $\bar{r}_p = [\bar{r}_1, \bar{r}_2, ..., \bar{r}_n]^T$  is the vector of average returns.

The equally-weighted portfolio, EWP, has equal weights for all its assets. If we have n assets available, the weights that define the EWP are given by:

$$w_i = \frac{1}{n}, \forall i.$$
(44)

One must note that all of these previous benchmarks were computed using real (crisp) numbers. Finally, the minimum variance fuzzy possibilistic portfolio in (39), MVPFP, is also compared with the IBOVESPA equity market index. For the fuzzy possibilistic model each asset return is fuzzy Gaussian distributed, i.e., $\epsilon_i \sim G(\mu_i, \sigma_i)$ . The parameters  $\mu_i$  and  $\sigma_i$ were estimated according to the sample mean and sample standard deviation from the historic data, respectively.

## PERFORMANCE ASSIGNMENT

The performance of the minimum variance portfolio models was measured in terms of annualized return (AR), cumulative return (CR), annualized volatility (AV) and maximum loss or maximum drawdown (ML), defined as follows, respectively:

$$A_{\rm R} = 252 \cdot \frac{1}{T} \sum_{\rm t=1}^{\rm T} r_{\rm p,t},$$
 (45)

$$C_{\rm R} = \sum_{\rm t=1}^{\rm T} r_{\rm p,t},\tag{46}$$

$$A_{V} = \sqrt{252} \cdot \sqrt{\frac{1}{T-1} \sum_{t=1}^{T} (r_{p,t} - \bar{r}_{p})^{2}}, \qquad (47)$$

$$ML = \min_{l=1,...,t; t=1,...,T} \sum_{l=1}^{t} r_{p,l},$$
(48)

where  $r_p$  and  $\bar{r}_p$  represent the return and the average return of a portfolio, respectively.

Moreover, we consider the Sharp Ratio (SR) and the Modigliani Index (MI) of the portfolios, respectively:

$$SR = \frac{\bar{r}_p - r_f}{\sigma_p},$$
(49)

$$MI = \frac{\sigma_M}{\sigma_p} (\bar{r}_p - r_f) + r_f, \qquad (50)$$

where  $\sigma_p$  indicates the risk of the portfolio, measured by the portfolio returns standard deviation, and  $\sigma_M$  the market risk, measured by the Ibovespa index standard deviation. They are both a commonly used measures to compare investments, which takes into account the trade-off between risk and return.

Finally, we compute the systemic risk of each portfolio by estimating the coefficient beta ( $\beta$ ) of the following regression:

$$\mathbf{r}_{i,t} - \mathbf{r}_{f,t} = \alpha_i + \beta_i \big( \mathbf{r}_{IBOV,t} - \mathbf{r}_{f,t} \big) + \varepsilon_{i,t}, \tag{51}$$

Maciel, Leandro; Gomide, Fernando; Ballini, Rosangela. Minimum Variance Fuzzy Possibilistic Portfolio. Revista de Finanças Aplicadas. V. 4, 2014. pp.1-27. where  $r_{i,t}$  is the return of portfolio i at t, t = 1, 2, ..., T,  $\alpha$  and  $\beta$  are the parameters,  $r_{IBOV}$  is the return of IBOVESPA equity market index, and  $\epsilon \sim N(0,1)$ .

## RESULTS

Portfolios were composed by the models using past data from January 2000 through December 2007. Then, their performances were evaluated for the remaining period, i.e., from January 2008 to December 2012. Table 1 summarizes the results of the minimum variance portfolios in terms of annualized return, cumulative return, annualized volatility, Sharpe ratio, maximum loss and correlation to IBOVESPA (IBOV<sub>corr</sub>). Moreover, portfolio's systemic risk was measured by the coefficient  $\beta$ , estimated from Eq. (50).

Table 1. Minimum variance portfolios performance.						
Metrics	MVP <sub>FP</sub>	MVP <sub>C</sub>	<b>MVP</b> <sub>S</sub>	EWP	IBOV	
A <sub>R</sub>	35.17%	29.55%	26.33%	20.64%	17.34%	
C <sub>R</sub>	147.01%	113.45%	101.87%	99.14%	87.20%	
V <sub>A</sub>	17.03%	22.34%	25.70%	27.20%	34.66%	
SR	0.70	0.67	0.58	0.16	0.19	
MI	0.49	0.44	0.41	0.33	0.31	
ML	-74.88%	-86.19%	-84.01%	-86.91%	-87.49%	
IBOV <sub>corr</sub>	0.65	0.69	0.70	0.84	-	
beta ( $\beta$ )	0.41	0.51	0.55	0.67	-	

In terms of annualized return, the minimum variance fuzzy possibilistic portfolio provided better results than all remaining portfolios, twice higher than the main benchmark in the Brazilian equity market, the IBOVESPA, which showed the lowest annualized return. The same results were found considering the cumulative return metric. Minimum variance portfolio estimated using real number is the

The good results founded in this work encourage researches, and also all market participants in general, since the model performs well with a few number of assets, being easy replicable and providing a lower level of risk. second best model by its annualized and cumulative returns.

MVPS, EWP and IBOVESPA are the riskiest portfolios since showed the highest values of annualized volatility. Therefore, in these terms, the fuzzy possibilistic portfolio provides the better combination of return and risk, since it is the more conservative approach (lowest level of annualized volatility). The Sharpe ratio indicates the portfolio risk premium by each unit of risk and, according with the results (Table 1), the Sharpe ratios of MVPFP, MVPC and MVPS portfolios are statistically superior to the IBOVESPA ratio, considering the statistical test for Sharpe ratio comparisons of Ledoit and Wolf (2008) with a significance level of 1%. Similar results are found when the Modigliani Index (MI) is taken into account. Besides this index capture adequately the riskreturn trade-off even in cases of a negative risk premium, the MVPFP, MVPC and MVPS portfolios performed similarly, better than all the remaining approaches.

The maximum loss, or maximum drawdown, which is a risk indicator widely used by portfolio managers, shows similar results for all approaches with an approximate average of -83.90%. This several loss is due to the recent Subprime crisis, which started in the US economy and affected other markets, including emergent economies like Brazil. All portfolios present high correlation with the IBOVESPA index. EWP and MVPFP have the highest and lowest correlations to IBOVESPA, respectively (Table 1). It means that the portfolios move in the same direction of the equity market index, besides their lower levels of risk, confirming the study of Clark et al. (2006), which stated that minimum variance portfolios are composed by assets with lower risk than the market portfolio. According to the coefficient beta ( $\beta$ ), which is a measure of systemic risk, one may see that the MVPFP performs better than the other approaches, with a lower systemic risk, i.e., for a variation of 1% in the market portfolio, the fuzzy possibilistic portfolio varies 0.41%. The fact that the beta coefficient does not explain the portfolios returns can be a reflect of some other risk factors that are not priced in the model, since the relation of return and risk is not verified empirically.

Finally, Table 2 shows the number of assets allocated in each portfolio and indicates that the minimum variance portfolios require a few number of assets, being easy replicable, except the equally-weighted portfolio.

Table 2. Portfolio's number of assets.							
Portfolios	<b>MVP</b> <sub>FP</sub>	<b>MVP</b> <sub>C</sub>	<b>MVP</b> <sub>s</sub>	EWP			
# assets	17	22	43	314			

Summarizing, the results showed that the minimum variance fuzzy possibilistic portfolio model provides better results than all alternative techniques with a few number of assets, indicating the high adequacy in uncertain environments like the Brazilian equity market.

## CONCLUSION

Portfolio selection is one of the most challenging problem in finance. The mean-variance methodology is widely used by market participants in order to construct their portfolios, since it is a well-known technique that a decision maker should determine a few number of parameters and can produce considerable results. The key issue of the conventional probabilistic mean-variance approach is to use the expected

The results show that the minimum variance fuzzy possibilistic portfolio has higher returns with a lower level of risk compared to all alternative approaches. Moreover, its beta coefficient, as a measure of systemic risk, is lower than one, which indicates that the fuzzy possibilistic portfolio has lower risk than the market portfolio, i.e., the IBOVESPA index. Finally, these results were reached with a lower number of assets, compared to the competitive approaches.

return of a portfolio as the investment return and to use the variance (or standard deviation) of the expected returns of the portfolio as the investment risk, under the assumption that the future assets behavior can be reflected by data in the past. However, because of the information incompleteness and the complexity of the financial markets, it is impossible to precisely predict the future return and the actual risk of a portfolio, since these variables are fuzzy uncertainty.

This paper evaluates the performance of minimum variance fuzzy possibilistic portfolio in the Brazilian equity market. In the efficient frontier of investments, the minimum variance portfolio represents a more conservative approach, i.e., the one with the lower level of risk. In the possibilistic model, we assume that the portfolio return is fuzzy, represented by a Gaussian membership function, which models a scenario subject to fuzziness since non-probabilistic factors affect the financial markets. The suggested methodology was compared with the following methods: a minimum variance portfolio estimated with real (crisp) data, the IBOVESPA index which is used as the main benchmark in the Brazilian equity market, an equally-weighted portfolio, and the maximum Sharpe ratio portfolio.

The results show that the minimum variance fuzzy possibilistic portfolio has higher returns with a lower level of risk compared to all alternative approaches. Moreover, its beta coefficient, as a measure of systemic risk, is lower than one, which indicates that the fuzzy possibilistic portfolio has lower risk than the market portfolio, i.e., the IBOVESPA index. It indicates that this strategy provides good results in a simple procedure with a few number of assets, being easy replicable by investors, institutions and all market participants in general. Future works shall include transaction costs in the portfolio model, short positions, as well as evaluate its performance with rebalancing, in order to capture more adequately the market fluctuations, as well as considering different economies.

## REFERENCES

- BELLMAN, R. E.; & ZADEH, L. A. Decision making in a fuzzy environment. Management Science, v. 17, n. 4, p. 141-164, 1970.
- BILBAO-TEROL, A.; GLADISH, B. P.; PARRA, M. A.; & URIA, M. V. R. Fuzzy compromise programming for portfolio selection. Applied Mathematics and Computation, v. 137, p. 251-264, 2006.
- CARLSSON, C.; & FULLÉR, R. On possibilistic mean value and variance of fuzzy numbers. Fuzzy Sets and Systems, v. 122, p. 315-326, 2001.
- CARLSSON, C.; FULLÉR, R.; & MAJLENDER, P. A possibilistic approach to selecting portfolios with high utility score. Fuzzy Sets and Systems, v. 131, p. 13-21, 2002.
- CHEN, L. H.; & HUANG, L. Portfolio optimization of equity mutual funds with fuzzy return rates and risks. Expert Systems With Applications, v. 36, p. 3720-3727, 2009.
- CLARK, R.; SILVA, H.; & THORLEY, S. Minimum variance portfolios in the US equity market. Journal of Portfolio Management, v. 33, p. 10-24, 2006
- DUBOIS, D.; & PRADE, H. The mean value of a fuzzy number. Fuzzy Sets and Systems, v. 24, p. 279-300, 1987.

- ELLIOT, R. J.; SIU, T. K.; & BADESCU, A. On meanvariance portfolio selection under a Markovian regimeswitching model. Economic Modelling, v. 27, p. 678-686, 2010.
- GUPTA, P.; MEHLAWAT, M. K.; & SAXENA, A. Asset portfolio optimization using fuzzy mathematical programming. Information Sciences, v. 178, p. 1734-1755, 2008.
- HUANG, X. X. A new perspective for optimal portfolio selection with random fuzzy number returns. Information Sciences, v. 177, p. 5404-5414, 2007.
- JAGANNATHAN, R.; & MA, T. Risk reduction in large portfolios: Why imposing the wrong constraints helps? Journal of Finance, v. 58, p. 1651-1684, 2003.
- JANA, P.; ROY, T. K.; & MAZIMDER, S. K. Multi-objective possibilistic model for portfolio selection with transaction cost. Journal of Computational and Applied Mathematics, v. 228, p. 188-196, 2009.
- JORION, P. Bayesian and CAPM estimators of the means: Implications for portfolio selection. Journal of Banking & Finance, v. 15, p. 717-727, 1991.
- LEDOIT, O.; & WOLF, M. Robust performance hypothesis testing with the Sharpe ratio. Journal of Empirical Finance, v. 15, p. 850-859, 2008.
- LEON, T.; LIEN, V.; & VERCHER, E. Viability of infeasible portfolio selection problems: A fuzzy approach. European Journal of Operational Research, v. 139, p. 178-189, 2002.

- LI, T.; ZHANG, W.; & XU, W. Fuzzy possibilistic portfolio selection model with VaR constraint and risk-free investment. Economic Modelling, v. 31, p. 12-17, 2013
- MARKOWITZ, H. Portfolio selection. Journal of Finance, v. 7, p. 77-91, 1952.
- MERTON, R. C. An analytic derivation of the efficient portfolio frontier. Journal of Finance and Quantitative Analysis, v. 7, p. 1851-1872, 1972.
- SHARPE, W. F. Portfolio theory and capital markets. New York: McGraw-Hill, 1970.
- WATADA, J. Fuzzy portfolio selection and its application to decision making. Tetra Mountains Mathematical Publication, v. 13, p. 219-248, 1997.
- ZADEH, L. A. Fuzzy sets as the basis for a theory of possibility. Fuzzy Sets and Systems, v. 1, p. 3-28, 1978.
- ZHANG, W. G.; & NIE, Z. K. On possibilistic variance of fuzzy numbers. Lecture Notes in Artificial Intelligence, v. 2639, p. 398-402, 2003.
- ZHANG, W. G.; WANG, Y. L.; CHEN, Z. P.; & NIE, Z. K. Possibilistic mean-variance models and efficient frontiers for portfolio selection problem. Information Sciences, v. 177, p. 2787-2801, 2007.
- ZHANG, W. G.; XIAO, W.; & XU, W. A possibilistic portfolio adjusting model with new added assets. Economic Modelling, v. 27, p. 208-213, 2010.
- ZHANG, W. G.; ZHANG, X.; & XIAO, W. Portfolio selection under possibilistic mean-variance utility and SMO al-

gorithm. European Journal of Operational Research, v. 197, p. 693-700, 2009.